AUSTRALIAN PortableToilets
www.portabletoilets.com.au
1800 POO WEE (1800 766 933)
12 Precision Drive, Pakenham VIC 3810
4 Voyager Circuit, Glendenning NSW 2761
57 Link Crescent, Coolum Beach QLD 4573

Material Safety Data Sheet

Propaxx Elite Series Packets (JJ-PRO-(BG)(BP)(C)(FB)(M))

Section 1: Chemical Product & Company Information

Product Information
Product Name: J&J Propaxx Elite Series Packet
Product Code: JJ-PRO-(BG)(BP)(C)(FB)(M)
Product Identifier: Portable Toilet Odor Counteractant

Company Information
J&J Chemical Co
PO Box 614s
Crawford, GA 30630

Distribution Company Information
Company: Australian Portable Toilets Pty. Ltd.
Address: 12 Precision Drive, Pakenham VIC 3810
Tel: (03) 9701 5700

Medical Emergency Call: 000
National Poisons Hotline: 131 126

Section 2: Composition/Information on Ingredients

Chemical Name	***CAS#***	***EC#***	***Composition (in % by weight)***	***Classification of Component According to Regulation No 2001/59/EC (CLP).***
Trade Secret 12			20-30	Not a hazardous product
Trade Secret 14			15-25	Skin irritation (Category 2), H315 Eye irritation (Category 2), H319 Chronic aquatic toxicity (Category 3), H412
Fragrance	Blend	Blend	1-10	Not classified
Trade Secret 3			8-15	Serious eye damage/irritation (Category 2A); H319 Harmful to the aquatic environment, acute hazard (Category 3); H412 in concentrated form.
alcohol ethoxylate	68439-46-3		1.1-3.4	Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318

Other non-classified components are also present in the product

AUSTRALIAN PortableToilets
www.portabletoilets.com.au
1800 POO WEE (1800 766 933)
12 Precision Drive, Pakenham VIC 3810
4 Voyager Circuit, Glendenning NSW 2761
57 Link Crescent, Coolum Beach QLD 4573

Material Safety Data Sheet

Propaxx Elite Series Packets (JJ-PRO-(BG)(BP)(C)(FB)(M))

Section 3: Hazards Identification

3.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE

Emergency Overview

CLP Classification:

Eye Irritation (Category 2A)
Skin Irritation (Category 2)
Chronic Aquatic Toxicity (Category 2)

3.2 LABEL ELEMENTS

Pictogram

Signal Word:

DANGER

Precautionary Statement(s) Prevention

H318	Causes serious eye damage
H315	Causes skin irritation

Precautionary Statement(s) Prevention

P264	Wash hands thoroughly after handling
P273	Avoid release to the environment
P280	Wear eye protection and gloves

Precautionary Statement(s) Response

P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P332+P313	If skin irritation occurs: Get medical attention.

Precautionary Statement(s) Disposal

P501	Dispose of contents according to local regulations.

3.3 OTHER HAZARDS

MATERIALS TO AVOID: Will react with peroxide, phenol, strong acids, amines and strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of Carbon, nitrogen, and sulfur.

EFFECTS OF OVEREXPOSURE: Irritation to digestive systems.

AUSTRALIAN PortableToilets
www.portabletoilets.com.au
1800 POO WEE (1800 766 933)
12 Precision Drive, Pakenham VIC 3810
4 Voyager Circuit, Glendenning NSW 2761
57 Link Crescent, Coolum Beach QLD 4573

Material Safety Data Sheet

Propaxx Elite Series Packets (JJ-PRO-(BG)(BP)(C)(FB)(M))

Section 4: First Aid Measures

4.1 DESCRIPTION OF FIRST AID MEASURES

IN EYES: Immediately flush your eyes with water for 15 minutes. Remove contact lenses and continue flushing. Seek Immediate medical attention if burning sensation exists after washing.

SWALLOWED: DO NOT induce vomiting. Seek medical attention immediately.

ON SKIN: Always wash with soap and water after use. Do not allow contaminated clothing to remain in contact with skin. Removal and handling of clothing and shoes from the individual is recommended. If redness, itching, or a burning sensation develops, get medical attention.

INHALED: Move to fresh air. If cough or other respiratory symptoms develop, seek medical attention.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

EFFECTS OF OVEREXPOSURE: Irritation to eyes, skin, respiratory and digestive systems.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED - N/A

Section 5: Fire Fighting Measures

5.1 EXTINGUISHING MEDIA: Water, carbon dioxide, dry chemical, foam

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not considered to be a fire or explosion hazard.

5.2 SPECIAL HAZARDS ARISING FROM SUBSTANCE / MIXTURE: Combustion products - Oxides of carbon, nitrogen, And sulfur.

5.3 ADVICE FOR FIREFIGHTERS: Wear self-contained breathing apparatus to fight

Section 6: Accidental Release Measures

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:
Wear skin, eye and respiratory protection during cleanup.

6.2 ENVIRONMENTAL PRECAUTIONS:
Area may be washed down with water and allowed to drain to municipal wastewater.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:
Contain spill. Soak up material with absorbent and shovel into a chemical waste container. Cover container and remove from work area.

6.4 REFERENCE TO OTHER SECTIONS
Refer to sections 8 & 13

AUSTRALIAN PortableToilets
www.portabletoilets.com.au
1800 POO WEE (1800 766 933)
12 Precision Drive, Pakenham VIC 3810
4 Voyager Circuit, Glendenning NSW 2761
57 Link Crescent, Coolum Beach QLD 4573

Material Safety Data Sheet

Propaxx Elite Series Packets (JJ-PRO-(BG)(BP)(C)(FB)(M))

Section 7: Handling and Storage

7.1 PRECAUTIONS FOR SAFE HANDLING:

Do not get into eyes, on skin, or on clothing. Concentrate is severe irritant to eyes and can cause severe skin irritation. Wash hands thoroughly after handling. May cause permanent eye damage if not removed promptly. Avoid ingestion. Harmful if swallowed. Wear goggles and rubber gloves when handling. Avoid breathing concentrated vapors.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Store in a cool, dry area away from heat and direct sunlight. May self-reacts at high temperatures. Normal room ventilation is adequate.

7.3 SPECIFIC END USE(S):

FOR INDUSTRIAL USE ONLY. To provide cleaning and deodorizing portable toilets. To use, dispense 15-25 ml (see label directions) into toilet holding tank with water (typically 20L).

Section 8: Exposure Controls/Personal Protection

8.1 CONTROL PARAMETERS:

% W/W Country Long term (8-hour TWA)

Ppm mg.m^{-3}

% W/W Country Short term (15 minute)

Ppm mg.m^{-3}

VENTILATION: Normal room ventilation is adequate.

RESPIRATORY PROTECTION: Not necessary under normal use

THERMAL HAZARDS: Keep away from heat and direct

HANDS: Neoprene or other impervious gloves, tested according to EN 374-3. Wear suitable protective clothing

Neoprene or other impervious gloves, tested according to EN 374-3. Wear suitable protective clothing.

EYE/FACE: Safety glasses with side shield, goggles, or face shield. Eye protection should be specified to EN 166 category 3 or 3B.

HYGENIC PRACTICES: Wash hands thoroughly after handling.

OTHER: Eye wash station. Do not store near food stuffs, water, or feed.

ENVRIONMENTAL EXPOSURE CONTROLS: Keep container closed when not in use.

AUSTRALIAN PortableToilets
www.portabletoilets.com.au
1800 POO WEE (1800 766 933)
12 Precision Drive, Pakenham VIC 3810
4 Voyager Circuit, Glendenning NSW 2761
57 Link Crescent, Coolum Beach QLD 4573

Material Safety Data Sheet

Propaxx Elite Series Packets (JJ-PRO-(BG)(BP)(C)(FB)(M))

Section 9: Physical and Chemical Properties

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:	
INITIAL BOILING POINT:	NE
APPEARANCE AND ODOR:	Blue powder with pleasant fragrance
VAPOR PRESSURE:	NE
SPECIFIC GRAVITY (water = 1):	1.0
VAPOR DENSITY (air = 1):	NE
MELTING POINT:	NE
OXIDISING PROPERTIES:	NE
FREEZING POINT:	NE
FLASH POINT:	>93°C
EVAPORATION RATE (butyl acetate = 1):	1
pH:	6.0 – 7.5
FLAMMABILITY (Solid, Gas):	NE
EXPLOSIVE LIMITS:	LEL: 6.7 UEL: 36.0
RELATIVE DENSITY:	NE
SOLUBILITY (IES):	Soluble in water 100%
PARTITION COEFFICIENT:	n-octanol/water: NE
AUTO IGNITION TEMPERATURE:	NE
DECOMPOSITION TEMPERATURE:	NE
VISCOSITY:	NE
EXPLOSIVE PROPERTIES:	NE

Section 10: Stability and Reactivity

10.1 REACTIVITY: Keep Cool

10.2 CHEMICAL STABILTY: Will self-heat if heated

10.3 POSSIBILITY OF HAZARDOUS REACTIONS (HAZARDOUS POLYMERIZATION): Will not occur

10.4 CONDITIONS TO AVOID: NE

10.5 INCOMPATIBILE MATERIALS: Will react with peroxide, phenol, strong acids, amines and strong oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon, nitrogen, and sulfur.

AUSTRALIAN PortableToilets
www.portabletoilets.com.au
1800 POO WEE (1800 766 933)
12 Precision Drive, Pakenham VIC 3810
4 Voyager Circuit, Glendenning NSW 2761
57 Link Crescent, Coolum Beach QLD 4573

Material Safety Data Sheet

Propaxx Elite Series Packets (JJ-PRO-(BG)(BP)(C)(FB)(M))

Section 11: Toxicological Information

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY: Harmful if swallowed;

SKIN CORROSION/IRRITATION: Moderate irritation to skin;

SERIOUS EYE DAMAGE/IRRITATION: Moderate irritation to eyes;

RESPIRATORY OR SKIN SENSITIZATION: Irritation to respiratory;

GERM CELL MUTAGENICITY: None of the co-formulants are classified as mutagenic or genotoxic.

CARCINOGENICITY: None of the co-formulants are classified as carcinogenic.

REPRODUCTIVE TOXICITY: None of the co-formulants are classified as toxic to reproduction.

STOT-SINGLE EXPOSURE: None of the co-formulants are classified as mutagenic or gentoxic.

STOT-REPEATED EXPOSURE: None of the co-formulants are classified as harmful: danger of serious damage to health by prolonged exposure

ASPIRATION HAZARD: None of the co-formulants are classified as mutagenic or gentoxic.

SUMMARY OF INFORMATION:
No data are available on the formulated product; classification of the mixture is based on the individual ingredient of the mixture. The product has been classified in accordance with the conventional method as described in EC directive 1999/45/EC. It is incumbent upon the user to exercise precautions to ensure that persons using this product are not dangerously exposed to ingestion or eye contact and that skin exposure is properly washed to remove material.

OTHER INFORMATION:

NTP: NE
IARC MONOGRAPHS: NE
OSHA REGUALTED: NE

Section 12: Ecological Information

12.1 TOXICITY:
No data are available on the formulated product. The product has been classified in accordance with the conventional method as described in EC directive 1999/45/EC.

12.2 PERSISTENCE AND DEGRADABILITY:
All components are considered readily biodegradable according to OECD methods.

12.3 BIOACCUMULATIVE POTENTIAL: N/A

12.4 MOBILITY IN SOIL: N/A

Material Safety Data Sheet

Propaxx Elite Series Packets (JJ-PRO-(BG)(BP)(C)(FB)(M))

12.5 RESULTS OF PBT AND vPvB ASSESSMENT: NE

12.6 OTHER ADVERSE EFFECTS:
The product is cationic and will be adsorbed quickly onto mud and organic suspended matter.

12.7 ADDITIONAL INFORMATION

Section 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS:
Dispose of in accordance with all appropriate governmental regulations. Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility. Keep container closed when not in use. Rinse container before disposal. Empty container can be readily and effectively washed out with water which can go to normal municipal waste water treatment.

Section 14: Transport Information

Applicable Regulations:	N/A
DOT / EPA Hazard Class:	N/A
Shipping Name:	N/A
IMO:	N/A

Product is not regulated for any mode of transportation. Not considered a Haz-mat

Section 15: Regulatory Information

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

This product is biocide free

European Inventory of Existing Commercial Chemical Substances (EINECS)
This product contains a polymer according to the definition in Directive 92/32/EEC (7th Amendment to Directive 67/548/EEC) and all of its starting materials and intentional additives are listed in the European Inventory of Existing Commercial Chemical Substances (EINECS) or in compliance with European (EU) chemical inventory requirements.

15.2 CHEMICAL SAFETY ASSESSMENT:
No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

AUSTRALIAN PortableToilets
www.portabletoilets.com.au
1800 POO WEE (1800 766 933)
12 Precision Drive, Pakenham VIC 3810
4 Voyager Circuit, Glendenning NSW 2761
57 Link Crescent, Coolum Beach QLD 4573

Material Safety Data Sheet

Propaxx Elite Series Packets (JJ-PRO-(BG)(BP)(C)(FB)(M))

Section 16: Other Information

MSDS Creation Date: 7/07/2026

The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Australian Portable Toilets Pty. Ltd. makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, Australian Portable Toilets Pty. Ltd. will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied of merchantability, fitness for a particular purpose or of any nature are made hereunder with respect to the information set forth herein or to the product to which the information refers.

ACRONYMNS: NE: not established; N/A: not applicable

CLASSIFICATION: Irritant